


VAHAB



VAHAB

ENGINEERING SERVICE

SMALL ENCLOSURES

General Catalog 2013



SMALL - ENCLOSURE

VAHAB Engineering Service



● Technical Information: 144x144



● Technical Information: 72x144

● Supply includes


Extruded aluminum case

front base (polyamide) snap-in front frame (ABS) rear panel (aluminum) screw clamps fixing screws


- Special depth possible, on request
- Any punching, drilling, milling is possible on your request
- Cases manufactured in accordance with DIN 43700
- Horizontal and vertical guide ridges for internal PCB mounting
- Especially suitable for measuring, control technology & remote control
- Large variety of applications possible due to different types of constructions and accessories
- Screw clamp permit fitting in control panel or switch cabinet to meet your requirements.




● Technical Information: 96x96



Cut-out to DIN 43700 68x138



Cut-out to DIN 43700 92x92



Cut-out to DIN 43700 138x138


● Accessories

Order no.	Description
	front base 80x80 (PA) snap-in front frame 85x95 (AES) rear panel 95x95 (aluminium) front base 72x114 (PA) snap-in front frame 72x114 (AES) rear panel 72x114 (aluminium) front base 144x144 (PA)
	snap-in front frame (AES) rear panel 144x144 (aluminium)
	screw clamp (heavy) Tight screws M3x8 screw clamp (light)




● Extruded assembled case



- Material: aluminum profile and sheet (2 mm thick)
- The extrusion have internal guide slots for P.C.B or imilar components
- Packing: as kit
- Assembly time: 1-2 minutes
- Drilling and printing of the covers on request
- Special dimensions and surface treat-ments on request




● 1002




● 688



● 154





● 1001







SMALL - ENCLOSURE



VAHAB Engineering Service





● EB- 1013
With plastic bonnet





● EB- 1004
With plastic bonnet





● EB- 1127





● EB - 1000





● EB - 1203





● EB - 670





● EB - 1310





● EB - 1085





● EB- 1201




● EB- 492





● EB- W10



● EB- W18



● EB- W28



● EB- W13

● Dimensions

50 m	75 m	100 m	125 m	150 m	175 m	200 m
------	------	-------	-------	-------	-------	-------

● Order no example : EB-1013-50




SMALL - ENCLOSURE

VAHAB Engineering Service

● EB - 1228



Depth (mm)	Order no.
50	
75	
100	
125	
150	
175	
200	





Universal rail adaptor aluminum

Clip fasten for 35 mm mounting rail

- Universal clip fasten, suitable for all 35 mm mounting rail
- Fasten and simple assembly of combination cases, heatsink etc. by means of snapping them onto the mounting rail.
- Secure hold due to a stable extruded profile with integral spring
- special lengths and drilling on request

Order no.	A (mm)	B (mm)
	50	30
	75	55
	100	70



Universal rail adaptor plastic

- Universal rail adaptor for 35mm mounting rail for holding printed circuit board, 8 mm wide for 2.2mm screw.


DIN-rail case

- DIN enclosures are ideal for housing electrical, electronic devices including relays, sensing and monitoring devices, timers, transducers, printed circuit boards and more.



Combination rail

- For cable clamping and routing. Cables and leads can be fastened to the hammer heads top and bottom with cable ties. In addition ,the C section of the combination rail will accommodate cable clamps with in serts. (Material: aluminium)



Plastic case



Unit 2, No 100, Between Azmayesh bridge and shahr ara, Jalal Al Ahmad Broadway, Tehran - Iran

Tel/Fax: +98 21 88484368 & +98 21 88245870

Mob : +98 912 2264817 , +98 912 1463667

www.vahab-case.com

E-mail: vghahramani@yahoo.com